

Stretch Film

RoHS Certified Recycled Material

Our stretch film roll uses imported new LLDPE, and adopts cast film and five-layer co-extrusion production and processing to ensure product quality from the source. The stretch film wrap is green and environmentally friendly, 100% recyclable and reusable, and is a sustainable packaging material.

Better Protection Function

The strong self-adhesiveness, elasticity, winding force and tear resistance of the stretch wrap film roll can make the pallet goods firmly wrapped together to form a unit, which is tight and not loose, not easy to fall off, prevent the goods from moving during transportation, ensure the safe and stable transportation of goods, protect products and reduce damage.

Easy to Use

Simple and convenient operation, pallet wrap can be used with stretch film wrap machine or manual pallet wrap dispenser to greatly improve the consistency and compactness of packaging, save time, greatly improve production efficiency and reduce costs.

Save Space, Shipping Cost and Packaging Cost


By using our stretch film to wrap your goods in one whole unit will save your space, shipping cost and packaging cost.

Various Colors and Sizes for Choice

We have different types, sizes, thickness, and colors of pallet stretch wrap to choose from to meet your different needs, such as hand pallet wrap, machine wrap stretch film, pre stretch pallet wrap, mini plastic wrap, extended core pallet wrap, colored stretch wrap, uv resistant stretch wrap, anti static stretch film, biodegradable pallet wrap...

Wide Range of Uses

The stretch film wrapping roll has high transparency, high toughness and puncture resistance, thickened and sticky, strong toughness, good elasticity, and is not easy to break during use. The LLDPE stretch film is waterproof, dustproof, and oil-proof, and can be used for packaging needs of different shapes.




High-strength, eco-friendly stretch film provide worry-free protection for your products.

Stretch wrap is a stretchable film made of LLDPE, which is used to wrap around objects or pallets to ensure the safety of the load and the convenience of transportation and movement.

Stretch film has the characteristics of strong self-adhesion, super tensile force, high toughness, puncture resistance, and high transparency.

Our pallet wrap can provide solutions for various types of pallet loads, weights and shapes.

The use of stretch film wrap can greatly reduce the risk of damage and loss of goods, while improving product recognition and customer satisfaction.



Features and advantages

- LLDPE stretch film is strong, tear-resistant, highly elastic, high in viscosity, dustproof and waterproof, and can better protect the safety of the load.
- Flexible wrapping, simple operation, can be wrapped manually or with the help of a pallet wrapping machine.
- Use stretch film to wrap multiple items together to form a load, which is convenient for handling, improves loading and unloading efficiency, and reduces the risk of item loss.
- Available in a variety of thicknesses and sizes
- High cost performance, saves material costs
- Environmentally friendly, 100% recyclable



Pallet Wrap

- Our pallet wrap can provide solutions for various types of pallet loads, weights and shapes.
- Easy to wrap products in any shapes
- High cost-effective



Stretch Film Wrap Machine (Pallet Wrapper)

Using stretch film wrap machine to wrapping your pallets and improve your packaging efficiency.

Features and advantages

- **Manual and automatic 2 options**

We supply 2 kinds of stretch film wrap machine for your choice, one is by manual, another one is by automatically.

- **Easy to use and maintain**

All stretch film wrapping machines are easy to use by manual, or by automatically.

- **Multi-specification support**

Suitable for stretch films in different size and colors.

- **Improve packaging efficiency**

You will improve packaging efficiency up to 70% by using our stretch wrapper machines.

- **High Quality**

High and stable quality and 1 year quality warranty

Applications

- Third party logistics packaging
- Electronic appliances
- Auto parts
- Hardware tools
- Wires and cables
- Machine packaging
- Building materials
- Factory packaging

Manual Stretch Wrap Dispenser

The hand held stretch film dispenser is a fast, ergonomic, and cost-effective packaging tool designed for a small number of pallet packaging. While maintaining consistent load control, it also minimizes the use of pallet stretch film.



#SF-01



#SF-02



#SF-03



#SF-06



#SF-07



#XF1602
Semi-automatic Box Wrap
Machine

Automatic Pallet Wrapping Machine

The automatic stretch wrap machine is designed for wrapping stretch film automatically. By using the automatic wrapper, the optimal use of the stretch wrapping film can be achieved, the consistency of the stretch film can be maintained, and the use of the stretch wrapping film can be reduced as much as possible.



#MH-FG-800B
Automatic Box Wrap
Machine



#MH-FG-900B
Luggage Wrapping
Machine



#MH-FG-2000A
Pallet Wrap
Turntable



#MH-FG-2000C1
Stretch Film Wrap
Machine







#MH-FG-2400
Arm Wrapping
Machine











#CTP-600A/B
Mobile Wrapping
Machine

Material Selection -1







Model & Name	Photo	Packing	Material	Width (cm)	Thickness (um)	Length (meter)	Net Weight (KG)	Paper Tube (KG)
#HD-203 Machine Stretch Wrap Film (drag resistant / Anti-stretch) Disk winding machine 机膜（抗拖） 盘式绕线机		Roll	LLDPE	50cm	20~35um	930~1,630m	15kg	0.8kg
#HD-201 Machine Stretch Wrap Film (Pre-stretch) disc/rocker arm winding machine Metallocene 33% 机膜（预拉）盘式/摇臂式缠绕机 茂金属 33%		Roll	LLDPE	50cm	17um	1,920m	15kg	0.8kg
					20~35um	930~1,630m		
#HD-200 Machine Stretch Wrap Film (Super Strong) Online high-speed winding machine Metallocene 55% 机膜（超强） 在线高速绕线机 茂金属 55%		Roll	LLDPE	50cm	12um	2,720m	15kg	0.8kg
					15um	2,180m		
					17um	1,920m		
					20-35um	930~1,630m		
#HD-104 Hand Stretch Film (Normal) Metallocene 0% 手膜（普通的） 茂金属 0%		Roll	LLDPE	45cm/50cm	17-35um	120~280m	2.0kg	0.3kg
						180~430m	3.0kg	
						220~500m	3.5kg	
						240~560m	4.0kg	
						310~710m	5.0kg	

Model & Name	Photo	Packing	Material	Width (cm)	Thickness (um)	Length (meter)	Net Weight (KG)	Paper Tube (KG)
#HD-103 Hand Stretch Film (Mid strong) Metallocene 15% 手膜 (中强) 茂金属 15%		Roll	LLDPE	45cm/ 50cm	15um	430~480m	3.0kg	0.3kg
						510~560m	3.5kg	
						580~650m	4.0kg	
						720~810m	5.0kg	
#HD-102 Hand Stretch Film (Super Power Film) Metallocene 25% 手膜 (超能力膜) 茂金属 25%		Roll	LLDPE	45cm/ 50cm	12um	630~710m	3.5kg	0.3kg
						730~810m	4.0kg	
						907~ 1,008m	5.0kg	
Colored Stretch Film 彩色缠绕膜		Roll	LLDPE	45cm/ 50cm	20~30um	140~610m	2~5kg	0.3kg
Anti Static Stretch Film 抗静电缠绕膜		Roll	LLDPE	45cm/ 50cm	20~30um	140~610m	2~5kg	0.3kg
VCI Stretch Film 防锈缠绕膜		Roll	LLDPE	45cm/ 50cm	20~30um	140~610m	2~5kg	0.3kg
Biodegradable Stretch Film 可降解缠绕膜		Roll	LLDPE	45cm/ 50cm	20~30um	140~610m	2~5kg	0.3kg
Silage Film 牧草膜		Roll	LLDPE	45cm/ 50cm	25um	760~850m	8.8kg	0.6kg
Mini Stretch Wrap 分切膜		Roll	LLDPE	10cm	20um	400m	0.7kg	0.1kg
				15cm	20um	400m	0.9kg	0.2kg
				20cm	20um	400m	1.3kg	0.2kg
				25cm	20um	400m	1.6kg	0.3kg
				30cm	20um	400m	2kg	0.3kg

Machine Selection -1

Model	#SF-01	#SF-02	#SF-03	#SF-04	#SF-05	#SF-06	#SF-07	#XF1602
Photo								
Product Name	Hand stretch wrapper	Long handle stretch wrap dispenser	Pallet wrap dispenser	Stretch film dispenser	Stretch film handle	Stretch wrap dispenser	Stretch film wrap machine	Box wrap machine
Features	Manual	Manual / 38mm long handle	Manual / Silver chrome retractable	Manual	Manual	Manual	Manual / Desktop	Semi automatic / adjustable speed
Suitable stretch film	Paper tube inner diameter 76mm	Paper tube length 14cm, paper tube inner diameter 35-38mm	Paper tube inner diameter 38/51/76mm, LLDPE film width 45/50cm	Paper tube inner diameter 76mm, LLDPE film width 30/50cm	Paper tube inner diameter 51/76mm, LLDPE film width 45/50cm	Paper tube inner diameter 76mm, LLDPE film width 50cm	Paper tube inner diameter 76mm, LLDPE film width 45/50cm	Torsion force 30 kg: ≤1.1m on one side Torsion force 70 kg: ≤1.1m on one side Torsion force 100 kg: ≤1.7m on one side

Machine Selection -2

Model	#MH-FG-900B	#MH-FG-2000A	#MH-FG-2000B	#MH-FG-2000BW	#MH-FG-2000PA	#MH-FG-2000PB
Photo						
Product Name	Luggage wrapping machine	Pallet wrap turntable	Pallet wrap turntable	Pallet wrap turntable	Pallet wrapping machine with scale	Pallet wrapping machine with scale
Features	Automatic	Automatic / Anti-Stretch	Automatic / Pre-Stretch	Automatic / Pre-Stretch / Horseshoe shaped	Automatic / Anti-Stretch / with scale (weighing function)	Automatic / Pre-Stretch / with scale (weighing function)
Power	1P AC 220V/110V 50/60Hz 1.0KW	1P AC 220V 50/60Hz 1.0KW	1P AC220V 50/60Hz 1.25KW	1P AC220V 50/60Hz 1.5KW	1P AC220V 50/60Hz 1.25KW	1P AC220V 50/60Hz 1.25KW
Air Pressure 气源	/	/	/	/	/	/
Speed of Rotating	0~20 rpm	0~10 rpm	0~10 rpm	0~10 rpm	0~10 rpm	0~10 rpm
Diameter of Rotating	/	Φ1500mm (optional 1650mm, 1800mm)	Φ1500mm (optional 1650mm, 1800mm)	Φ1500mm (optional 1650mm)	Φ1500mm (optional 1650mm, 1800mm)	Φ1500mm (optional 1650mm, 1800mm)
Mast Height 立柱高度	Effective table width: 400mm, Effective height: 850mm	H2400mm (optional 2000/2700/3000/3200/3400mm)	H2400mm (optional 2000/2700/3000/3200/3400mm)	H2400mm (optional 2000/2700/3000/3200/3400mm)	H2400mm (optional 2000/2700/3000/3200/3400mm)	H2400mm (optional 2000/2700/3000/3200/3400mm)
Valid package size	L(250-1200)×W(200-400)×H(250-1200) mm	/	/	/	/	/
Suitable stretch Film	LLDPE film, Width ≤500 mm, outer diameter ≤Φ280 mm	LLDPE film, Width ≤500 mm, outer diameter ≤Φ280 mm	LLDPE film, Width ≤500 mm, outer diameter ≤Φ280 mm	LLDPE film, Width ≤500 mm, outer diameter ≤Φ280 mm	LLDPE film, Width ≤500 mm, outer diameter ≤Φ280 mm	LLDPE film, Width ≤500 mm, outer diameter ≤Φ280 mm
Capacity Weight 承重	60 kg	2000 kg	2000 kg	1500 kg	2000 kg	2000 kg


Model	#MH-FG-900B	#MH-FG-2000A	#MH-FG-2000B	#MH-FG-2000BW	#MH-FG-2000PA	#MH-FG-2000PB
Max wrapping height	800mm	Mast height - 400mm	Mast height - 400mm	Mast height - 400mm	Mast height - 400mm	Mast height - 400mm
Packaging Size	L1600xW600xH1740mm	2650x1650x800mm	2650x1650x800mm	2650x1650x800mm	2650x1650x800mm	2650x1650x800mm
Machine Dimension	L1600xW600xH1740mm	L1500mmxW2440mmxH2475mm	L1500mmxW2440mmxH2475mm	/	/	/

Machine Selection -3

Model	#MH-FG-2000FB	#MH-FG-2300B	#MH-FG-2000C1	#MH-FG-2400	#CTP-600A	#CTP-600B
Photo						
Product Name	Pallet wrap turntable	Arm wrapping machine	Pallet wrapper	Arm wrapping machine	Mobile pallet wrapping machine	Mobile pallet wrapping machine
Features	Automatic / Pre-Stretch / with automatic film cutting function	Automatic	Automatic / with top-presser	Automatic / Fixed	Automatic / with rechargeable lead-acid battery	Automatic
Power	1P AC220V 50/60Hz 1.25KW	1P AC220V 50/60Hz 1.25KW	1P AC220V 50/60Hz 1.25KW	3P AC 220V 50Hz	1P AC220V 50/60Hz	1P AC220V 50/60Hz
Air Pressure 气源	/	0.4~0.6 MPa	/	0.4~0.6 MPa	/	/
Speed of Rotating	0~10 rpm	0~15 rpm (adjustable)	0~10 rpm	0 ~ 12 rpm	90 m/min	90 m/min
Diameter of Rotating	Φ1650mm (optional 1800mm, 2000mm)	Φ2000mm	Φ1500mm (optional 1650mm, 1800mm, 2000mm, 2200mm)	Φ1700 mm	/	/

Model	#MH-FG-2000FB	#MH-FG-2300B	#MH-FG-2000C1	#MH-FG-2400	#CTP-600A	#CTP-600B
Mast Height 立柱高度	H2400mm (optional 2000/2700/ 3000/3200/ 3400mm)	/	H2400mm (optional 2000/2700/ 3000/3200/ 3400mm)	2200 mm	/	/
Stretch Film	LLDPE film, Width ≤500 mm, outer diameter ≤Φ280 mm	LLDPE film, Width ≤500 mm, outer diameter ≤Φ280 mm	LLDPE film, Width ≤500 mm, outer diameter ≤Φ280 mm	LLDPE film, Width ≤500 mm, outer diameter ≤Φ280 mm	LLDPE film, Width ≤500 mm, outer diameter ≤Φ280 mm	LLDPE film, Width ≤500 mm, outer diameter ≤Φ280 mm
Capacity Weight 承重	2000 kg	No limit	Φ1500mm: 1500kg; ≥Φ1650mm: 2000kg;	/	/	/
Max wrapping height	Mast height - 400mm	H=2400mm (custom made)	Mast height - 400mm	/	2400mm	2400mm
Packaging Size	2650x1650 x800mm	/	2650x1650 x800mm	/	1950x1250x 3000mm	1950x1250x 3000mm
Machine Dimension	/	4000x2000x 3650mm	/	L2080mm× W1640mm× H2850mm	/	/

Machine Selection -4

Model	#MH-FG-800B
Photo	
Product Name	Box wrap machine
Features	Automatic / Pre-Stretch / with with top-presser and turntable
Power Voltage	1P AC220V/110V 50/60Hz 0.5KW
Air Consumption	0.7m ³ /hr
Speed of Turntable	0~20r/min
Table Height	650mm
Diameter of Turntable	Φ400mm
Wrapping Height	400~500mm; 500~650mm (optional)
Stretch Film	LLDPE film, Width ≤500 mm, outer diameter ≤Φ280 mm
Capacity Weight 承重	80 kg
Packaging Size	L1340mm x W580 x H1650mm
Machine Dimension	/

Quality Warranty

- 1 year

We committed to innovative research on protective packaging equipment, materials and services, with rich practical experience and industry-leading research results, several patents, providing customers with comprehensive services.

Stretch film and pallet wrapping machine as our feature products, we always provide our customers with the best overall value solution.